Notice of Allowability	Application No.	Applicant(s)	
	10/081,409	KAPILA ET AL.	
	Examiner	Art Unit	
	Daniel S. Metzmaier	1712	
The MAILING DATE of this communication at All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOL-1 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	IS (OR REMAINS) CLOSED in 35) or other appropriate comming RIGHTS. This application is	n this application. If not include unication will be mailed in due	ed course. THIS
1. 🛮 This communication is responsive to 12/12/2003; 1/7/20	004; <u>& 3/24/2004</u> .		
2. The allowed claim(s) is/are 1-5,9-16,31 and 32.			
3. The drawings filed on are accepted by the Exami	iner.		
4. ☐ Acknowledgment is made of a claim for foreign priority a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents he 2. ☐ Certified copies of the priority documents he 3. ☐ Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	ave been received. ave been received in Application documents have been receive	on No d in this national stage applicat	
Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDOI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	E" of this communication to file NMENT of this application.	e a reply complying with the req	uirements
5. A SUBSTITUTE OATH OR DECLARATION must be sul INFORMAL PATENT APPLICATION (PTO-152) which g	omitted. Note the attached.EX gives reason(s) why the bath o	AMINER'S AMENDMENT or No r declaration is deficient.	OTICE OF
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") in (a) ☒ including changes required by the Notice of Draftsp 1) ☒ hereto or 2) ☒ to Paper No./Mail Date 031 (b) ☐ including changes required by the attached Examin—Paper No./Mail Date Identifying indicia such as the application number (see 37 CFF each sheet. Replacement sheet(s) should be labeled as such in 7. ☐ DEPOSIT OF and/or INFORMATION about the departached Examiner's comment regarding REQUIREMENT.	erson's Patent Drawing Review 82003. er's Amendment / Comment o 8 1.84(c)) should be written on to in the header according to 37 CF posit of BIOLOGICAL MATI	r in the Office action of he drawings in the front (not the R 1.121(d). ERIAL must be submitted, N	•
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☑ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/St Paper No./Mail Date	3) 6. ☐ Interview S Paper No. 3/08), 7. ☒ Examiner's	formal Patent Application (PTC ummary (PTO-413), /Mail Date Amendment/Comment Statement of Reasons for Allov 	·
U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04)	Notice of Allowability	Part of Paper No./M.	ail Date 0521200

Art Unit: 1712

EXAMINER'S AMENDMENT

Claims 1-5, 9-16, 31 and 32 are allowed.

Drawings

The drawings filed on February 21, 2002 are acceptable subject to correction of
the informalities indicated on the attached "Notice of Draftsperson's Patent Drawing
Review," PTO-948. In order to avoid abandonment of this application, correction is
required in reply to the Office action. The correction will not be held in abeyance.

Examiner's amendment

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Dan Cleveland, Jr. on May 21, 2004.

The application has been amended as follows:

Art Unit: 1712

Replace the claims as follows:

(Currently amended) A solvent extraction mixture for extracting oil from an oil bearing material, the solvent extraction mixture comprising:

oil bearing material that presents a combination of triglyceride oil and phospholipid oil for extraction; and

- a solvent at a temperature ranging from 35°C to 55°C, the solvent having a viscosity ranging from 0.3 to 2.6 centipoise and a polarity index no greater than about 0.1, the solvent containing
 - (a) a low molecular weight hydrocarbon constituent; and,
 - (b) a halocarbon constituent selected from the group consisting of fluorocarbon, chlorocarbon, and chlorofluorocarbon materials in an effective amount to provide selective extraction of the triglyceride oil in preference to the phospholipid oil, as compared to extraction using the hydrocarbon constituent.
- 2. (Previously Presented) The solvent extraction mixture of claim 1 wherein the hydrocarbon constituent is of a formula $C_nH_{(2n+2)}$ or C_nH_{2n} with n equal to between 5 and 8.
- (Previously Presented) The solvent extraction mixture of claim 2 wherein the hydrocarbon constituent is a hexane.
- 4. (Currently amended) The solvent extraction mixture of claim 1 wherein said the halocarbon constituent is selected as the fluorocarbon having a polarity index of less than $0.4 \ \underline{0}$.

Application/Control Number: 10/081,409

Art Unit: 1712

5. (Currently amended) The solvent extraction mixture of claim [[4]] 1 wherein the fluorocarbon has a polarity index ranging between about - 2.0 and about 0.1 and a dielectric constant ranging between about 1.7 and about 2.0.

- (Cancelled)
- 7. (Cancelled)
- 8. (Cancelled)
- 9. (Previously Presented) The solvent extraction mixture of claim 3 wherein the hexane is selected from the group consisting of straight-chained hexanes, branch-chained hexanes, and mixtures thereof.
- 10. (Previously Presented) The solvent extraction mixture of claim 1 wherein said the halocarbon constituent is selected as the fluorocarbon further selected from the group consisting of $C_nH_{(2n+2)-x}F_x$, where n equals between 4-8 and x equals between 1-17; $C_nF_{(2n+2)}$, where n equals between 5-8; $C_nCl_{(2n+2)-x}F_x$, where n equals between 1-6 and x equals between 1-13; $C_nH_{(2n+2)-(x+1)}Cl_xF_f$, where n equals between 1-4, x equals between 1-9, and f equals between 1-9; and, $C_nH_{(2n+2)-x}Cl_x$, where n equals between 1-4, and x equals between 1-9.
- 11. (Previously Presented) The solvent extraction mixture of claim 10 wherein the fluorocarbon is selected from the group consisting of $C_5H_2F_{10}$, C_6HF_{13} , C_7HF_{15} , $C_{10}HF_{21}$, C_5F_{12} , C_7F_{16} , C_6F_{14} , C_8F_{18} , $C_2Cl_3F_3$, CCl_3F , $C_3Cl_2F_6$, $C_4Cl_2F_8$, $C_4Cl_3F_7$, C_6ClF_{13} , $C_3HCl_2F_5$, and $C_2HCl_2F_3$.
- 12. (Previously Presented) The solvent extraction mixture of claim 1 wherein the halocarbon constituent is selected as the fluorocarbon further selected from the

Art Unit: 1712

group consisting of hydrofluorocarbon, perfluorocarbon, hydrochlorofluorocarbon, and combinations thereof.

- 13. (Previously Presented) The solvent extraction mixture of claim 1 wherein the halocarbon constituent is selected as the fluorocarbon is being a hydrofluorocarbon.
- 14. (Previously Presented) The solvent extraction mixture of claim 1 wherein the halocarbon constituent is selected as the fluorocarbon and the effective amount ranges between 60% and 70% by volume of the solvent.
 - 15. (Cancelled)
- 16. (Previously Presented) A solvent extraction mixture for extracting oil from an oil bearing material, the solvent extraction mixture comprising:
 - oil-bearing material-that presents a combination of triglyceride oil and phospholipid oil for extraction; and
 - a solvent at a temperature ranging from 35° C to 55° C, the solvent having a viscosity ranging from 0.3 to 2.6 centipoise and a polarity index no greater than about 0, the solvent containing
 - (a) a low molecular weight hydrocarbon constituent; and,
 - (b) a halocarbon constituent in an effective amount to provide selective extraction of the triglyceride oil in preference to the phospholipid oil, as compared to extraction using the hydrocarbon constituent alone.

17 -30 (Cancelled)

31. (Previously presented) A solvent mixture for extracting oil from a soybean

Application/Control Number: 10/081,409

Art Unit: 1712

oil bearing material so as to form an extracted oil comprised of greater than 95% by weight triglycerides and other non-polar constituents, with said solvent having a polarity no greater than about 0 and a viscosity ranging between about 0.3 centipoise and about 2.6 centipoise, whereby the triglycerides are miscible in said solvent at a temperature ranging between about 35° C and about 55° C and after extraction of the triglycerides said solvent and the triglycerides form a miscella, and at a temperature ranging between about 15° C and about 25° C, said miscella will form distinct solvent and oil layers that can be separated, said solvent mixture comprising:

- (a) an amount of a low molecular weight hydrocarbon having a viscosity of less than 2.6 centipoise;
- (b) a fluorocarbon solvent or a chlorocarbon solvent wherein said chlorocarbon is selected from the group consisting of CH₂Cl₂, C₂H₃Cl₃, and C₂HCl₃;
- and wherein said fluorocarbon solvent is selected from the group consisting of $C_5H_2F_{10}$, C_6HF_{13} , C_7HF_{15} , $C_{10}HF_{21}$, C_5F_{12} , C_7F_{16} , C_8F_{18} , $C_2Cl_3F_3$, CCl_3F , $C_3Cl_2F_6$, $C_4Cl_2F_8$, $C_4Cl_3F_7$, and C_6ClF_{13} ; and
- soybean material that presents a combination of triglyceride oil and phospholipid oil for extraction.
- the low molecular weight hydrocarbon constituent and the fluorocarbon solvent being present in effective amounts for selectively extracting the triglyceride oil while leaving the

Art Unit: 1712

phospholipid oil in the soybean materials such that crude oil to be extracted from the soybean oil bearing material has a phospholipid content of less than 0.1% by weight.

- 32. (Currently amended) A solvent mixture for extracting oil from an a soybean oil bearing material so as to form an extracted oil comprised of greater than 95% by weight non-polar constituents, with said solvent having a polarity no greater than about 0 and a viscosity less than about 2.6 centipoise, whereby the non-polar constituents are miscible in said solvent at a temperature ranging between about 35° C and about 55° C and after extraction of the non-polar constituents, said solvent and the non-polar constituents separate at a temperature ranging between about 15° C and about 25° C, forming distinct solvent and oil layers that can be separated, said solvent mixture comprising:
 - (a) an amount of a low molecular weight hydrocarbon;
 - (b) a non-polar halogenated solvent;

wherein said non-polar halogenated solvent is selected from the group consisting of CH_2CI_2 , $C_2H_3CI_3$, C_2HCI_3 , $C_5H_2F_{10}$, C_6HF_{13} , C_7HF_{15} , $C_{10}HF_{21}$, C_5F_{12} , C_7F_{16} , C_8F_{18} , $C_2CI_3F_3$, CCI_3F , $C_3CI_2F_6$, $C_4CI_2F_8$, $C_4CI_3F_7$, and C_6CIF_{13} ; and soybean material that presents a combination of triglyceride oil and phospholipid oil for extractions

the low molecular weight hydrocarbon and the non-polar

Art Unit: 1712

halogenated solvent being present in effective amounts for selectively extracting the triglyceride oil while leaving the phospholipid oil in the soybean material. such that crude oil to be extracted from the soybean oil bearing material has a phospholipid content of less than 0.1% by weight.

Art Unit: 1712

Reasons for allowance

3. The following is an examiner's statement of reasons for allowance: applicants' response obviates the issues of the last Office Action. The present amendments more clearly set forth the polarity index in claims 1, 4 and 5. Please note page 16.12, Simon J. Garrett (cited herein) regarding the polarity index range from –2.0 to 10.2.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel S. Metzmaier whose telephone number is (703) 308-0451. The examiner can normally be reached on 9:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vasu Jagannathan can be reached on (571) 272-1119. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1712

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Daniel S. Metzmaier Primary Examiner

Art Unit 1712

DSM